

## PUBLICATIONS IN IMPACTED JOURNALS

- [1] ŠVEJKAR, R., ŠULC, J., JELÍNKOVÁ, H.: Er-doped crystalline active media for  $\sim 3 \mu\text{m}$  diode-pumped lasers, *Progress in Quantum Electronics*, 2020, **vol. 74**, p. 100276, ISSN 0079-6727, doi:10.1016/j.pquantelec.2020.100276.
- [2] NĚMEC, M., BOHÁČEK, P., ŠVEJKAR, R., ŠULC, J., JELÍNKOVÁ, H., TRUNDA, B., HAVLÁK, L., NIKL, M., JUREK, K.: Er:GGAG crystal temperature influence on spectroscopic and laser properties, *Opt. Mater. Express*, May 2020, **vol. 10(5)**, pp. 1249–1254, doi:10.1364/OME.383098.
- [3] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., BOHÁČEK, P., JELÍNKOVÁ, H., TRUNDA, B., HAVLÁK, L., NIKL, M., JUREK, K.: Diode-pumped laser and spectroscopic properties of Yb,Ho:GGAG at  $2 \mu\text{m}$  and  $3 \mu\text{m}$ , *Laser Physics Letters*, Feb 2020, **vol. 17(3)**, p. 035801, doi:10.1088/1612-202x/ab6d61.
- [4] ŠULC, J., ŠVEJKAR, R., FIBRICH, M., JELÍNKOVÁ, H., HAVLÁK, L., JARÝ, V., LEDINSKÝ, M., NIKL, M., BÁRTA, J., BURYI, M., LORENZI, R., COVA, F., VEDDA, A.: Infrared spectroscopic properties of low-phonon lanthanide-doped KLuS<sub>2</sub> crystals, *Journal of Luminescence*, 2019, **vol. 211**, pp. 100 – 107, ISSN 0022-2313, doi: 10.1016/j.jlum.2019.03.005.
- [5] ŠVEJKAR, R., ŠULC, J., JELÍNKOVÁ, H.: Er:Y<sub>2</sub>O<sub>3</sub> high-repetition rate picosecond  $2.7 \mu\text{m}$  laser, *Laser Physics Letters*, Jun 2019, **vol. 16(7)**, p. 075802, doi: 10.1088/1612-202x/ab1918.
- [6] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., BOHÁČEK, P., JELÍNKOVÁ, H., TRUNDA, B., HAVLÁK, L., NIKL, M., JUREK, K.: Line-tunable Er:GGAG laser, *Opt. Lett.*, Jul 2018, **vol. 43(14)**, pp. 3309–3312, doi:10.1364/OL.43.003309.
- [7] NĚMEC, M., ŠULC, J., ŠVEJKAR, R., JELÍNKOVÁ, H.: Temperature influence on Er:YAlO<sub>3</sub> spectroscopy and diode-pumped laser properties, *Laser Physics*, 2018, **vol. 28(10)**, p. 105801, doi:10.1088/1555-6611/aacfa0.
- [8] ŠVEJKAR, R., ŠULC, J., JELÍNKOVÁ, H., KUBEČEK, V., MA, W., JIANG, D., WU, Q., SU, L.: Diode-pumped Er:SrF<sub>2</sub> laser tunable at  $2.7 \mu\text{m}$ , *Opt. Mater. Express*, Apr 2018, **vol. 8(4)**, pp. 1025–1030, doi:10.1364/OME.8.001025.
- [9] ŠVEJKAR, R., PAPASHVILI, A. G., ŠULC, J., NĚMEC, M., JELÍNKOVÁ, H., DOROSHENKO, M. E., BATYGOV, S. H., OSIKO, V. V.:  $2.4 \mu\text{m}$  diode-pumped Dy<sup>2+</sup>:CaF<sub>2</sub> laser, *Laser Physics Letters*, 2018, **vol. 15(1)**, p. 015803, doi: 10.1088/1612-202X/aa806d.
- [10] ŠVEJKAR, R., ŠULC, J., JELÍNKOVÁ, H., NEJEZCHLEB, K., NITSCH, K., CIHLÁŘ, A., KRÁL, R., LEDINSKÝ, M.: Vliv teploty na laserové vlastnosti Er,Yb dopované fosfátové sklo, *Jemná mechanika a optika*, 2017, **vol. 62(3)**, pp. 91–95, ISSN 0447-6441.
- [11] ŠULC, J., ŠVEJKAR, R., JELÍNKOVÁ, H., NEJEZCHLEB, K., NITSCH, K., CIHLÁŘ, A., KRÁL, R., LEDINSKÝ, M., FEJFAR, A., RODOVÁ, M., ZEMANOVÁ, P., NIKL, M.: Phosphate content influence on structural, spectroscopic, and lasing properties

- of Er,Yb-doped potassium-lanthanum phosphate glasses, *Optical Engineering*, 2016, vol. **55**(4), ISSN 0091-3286, doi:10.1117/1.OE.55.4.047102.
- [12] ŠULC, J., NĚMEC, M., ŠVEJKAR, R., JELÍNKOVÁ, H., DOROSHENKO, M., FEDOROV, P., OSIKO, V.: Diode Pumped Er:CaF<sub>2</sub> Ceramics 2.7 μm Tunable Laser, *Optics Letters*, 2013, vol. **38**(17), pp. 3406–3409, ISSN 0146-9592, doi: 10.1364/OL.38.003406.

## PUBLICATIONS IN CONFERENCE PROCEEDINGS

- [1] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., JELÍNKOVÁ, H.: Up to 3 W continuous power and 21 ns long pulses from 2.8  $\mu\text{m}$  Er:YLF laser, in *Laser Congress 2020 (ASSL, LAC, LS&C)*, Optical Society of America, 2020 p. AW4A.7.
- [2] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., JELÍNKOVÁ, H.: Er:YLF microchip laser for free-running and gain-switching laser operation in spectral range 2.83  $\mu\text{m}$ , in *9th EPS-QEOD Europhoton*, Prague, Czech Republic, 2020 pp. Tu-P1.8.
- [3] ŠVEJKAR, R., ŠULC, J., BOHÁČEK, P., JELÍNKOVÁ, H., TRUNDA, B., HÁVLAK, L., NIKL, M., JUREK, K.: Temperature influence on Er:GGAG crystal spectroscopic properties and lasing at 3  $\mu\text{m}$ , in W. A. Clarkson, R. K. Shori, eds., *Solid State Lasers XXIX: Technology and Devices*, vol. 11259, International Society for Optics and Photonics, SPIE, 2020 pp. 330 – 335, doi:10.1117/12.2541965.
- [4] ŠVEJKAR, R., ŠULC, J., BOHÁČEK, P., JELÍNKOVÁ, H., TRUNDA, B., HÁVLAK, L., NIKL, M., JUREK, K.: 2.94  $\mu\text{m}$  and 2.1  $\mu\text{m}$  tunable laser based on yb,ho-doped ggag crystal, in *Laser Congress 2019 (ASSL, LAC, LS&C)*, Optical Society of America, 2019 p. JM5A.7, doi:10.1364/ASSL.2019.JM5A.7.
- [5] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., JELÍNKOVÁ, H.: Passively mode-locked high-repetition rate Er:YLF laser at 2.81  $\mu\text{m}$  generating 72 ps pulses, in *2019 European Conference on Lasers and Electro-Optics and European Quantum Electronics Conference*, Optical Society of America, 2019 pp. CA-10.4.
- [6] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., JELÍNKOVÁ, H.: 567 ns pulses from passively Q-switched Er:YLF laser generating at 2.81  $\mu\text{m}$ , in *2019 European Conference on Lasers and Electro-Optics and European Quantum Electronics Conference*, Optical Society of America, 2019 pp. CA-P.3.
- [7] ŠVEJKAR, R., ŠULC, J., JELÍNKOVÁ, H., DOROSHENKO, M. E., KONYUSHKIN, V. A., NAKLADOV, A. N., OSIKO, V. V.: Passively q-switched Er,La:SrF<sub>2</sub>-CaF<sub>2</sub> laser at 2.74  $\mu\text{m}$ , in *High-Power, High-Energy, and High-Intensity Laser Technology IV*, vol. 11033, 2019 doi:10.1117/12.2520268.
- [8] ŠVEJKAR, R., ŠULC, J., JELÍNKOVÁ, H., ČECH, M.: Temperature influence on spectroscopic and laser properties of Er:YLF crystal, in *Solid State Lasers XXVIII: Technology and Devices*, vol. 10896, 2019 doi:10.1117/12.2506384.
- [9] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., JELÍNKOVÁ, H.: Nanosecond pulses from SE-SAM Q-switched Er:Y<sub>2</sub>O<sub>3</sub> laser at 2.7  $\mu\text{m}$ , in *8th EPS-QEOD Europhoton*, Barcelona, Spain, 2018 p. ThP.31.
- [10] ŠULC, J., ŠVEJKAR, R., VESELSKÝ, K., JELÍNKOVÁ, H., DOROSHENKO, M. E., PAPASHVILI, A. G., LYKOV, P. A., IVLEVA, L.: Broadly-tunable diode pumped Tm:SBN laser, in *8th EPS-QEOD Europhoton*, Barcelona, Spain, 2018 p. ThP.38.
- [11] NĚMEC, M., ŠULC, J., ŠVEJKAR, R., JELÍNKOVÁ, H.: Cryogenic cooled Er:YAlO<sub>3</sub>, in *27th annual International Laser Physics Workshop*, Nottingham, UK, 2018 .

- [12] ŠVEJKAR, R., ŠULC, J., ŘÍHA, A., JELÍNKOVÁ, H., DOROSHENKO, M. E., KOVALENKO, N. O., S., G. A.: Compact Fe:ZnSe and Fe:ZnMnSe tunable lasers at 80 K pump with Er:YAG, in *13th Pacific Rim Conference on Lasers and Electro-Optics (CLEO Pacific Rim, CLEO-PR 2018)*, 2018 p. W3A.55.
- [13] ŠVEJKAR, R., ŠULC, J., ŘÍHA, A., JELÍNKOVÁ, H., DOROSHENKO, M. E., KOVALENKO, N. O., S., G. A.: Er:YAG pumped compact Fe:ZnMnSe laser tunable in spectral range 3950 - 4500 nm at 80 K, in *18th International Conference on Laser Optics*, 2018 p. R1:P23.
- [14] ŠULC, J., NĚMEC, M., ŠVEJKAR, R., JELÍNKOVÁ, H., DOROSHENKO, M. E., KONYUSHKIN, V. A., NAKLADOV, A. N., OSIKO, V. V.: Tunability of Low-doped Tm:CaF<sub>2</sub> Crystal at Cryogenic Temperatures, in *High-Brightness Sources and Light-driven Interactions*, Optical Society of America, 2018 p. JT5A.9, doi:10.1364/EUVXRAY.2018.JT5A.9.
- [15] ŠVEJKAR, R., ŠULC, J., JELÍNKOVÁ, H., KUBEČEK, V., MA, W., JIANG, D., WU, Q., SU, L.: Tunable Diode-pumped Er:SrF<sub>2</sub> laser at 2.7 μm, in *High-Brightness Sources and Light-driven Interactions*, Optical Society of America, 2018 p. JT5A.14, doi:10.1364/EUVXRAY.2018.JT5A.14.
- [16] ŠULC, J., ŠVEJKAR, R., NĚMEC, M., DOROSHENKO, M. E., JELÍNKOVÁ, H., IVLEVA, L. I., DUNAEVA, E. E.: Spectroscopy and lasing of Tm:SrMoO<sub>4</sub> crystal near 1.5, 1.9, and 2.3-μm under 793-nm excitation, in *Solid State Lasers XXVII: Technology and Devices*, vol. 10511, 2018 p. 8, doi:10.1117/12.2289513.
- [17] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., JELÍNKOVÁ, H., NEJEZCHLEB, K., ČECH, M.: Temperature influence on spectroscopic properties and 2.7-μm lasing of Er:YAP crystal, in *Solid State Lasers XXVII: Technology and Devices*, vol. 10511, 2018 p. 6, doi:10.1117/12.2287138.
- [18] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., JELÍNKOVÁ, H., DOROSHENKO, M.: Cryogenic-cooled Tm:SBN tunable laser, in *Photonics, Devices, and Systems VII*, vol. 10603 of *Proceedings of SPIE*, Bellingham, US, ISBN 978-1-5106-1702-5, ISSN 0277-786X, 2017 p. 6, doi:10.1117/12.2292425.
- [19] NĚMEC, M., DOROSHENKO, M., JELÍNKOVÁ, H., ŠVEJKAR, R., ŠULC, J.: Wavelength Tunability of Diode-Pumped Cr-Doped ZnMnSe Laser, in *26th International Laser Physics Workshop - Program*, Moskva, RU, 2017 .
- [20] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., JELÍNKOVÁ, H., KUBEČEK, V., MA, W., JIANG, D., WU, Q., SU, L.: Diode-Pumped Er:CaF<sub>2</sub> Crystal 2.7 μm Tunable Laser, in *26th International Laser Physics Workshop - Program*, Moskva, RU, 2017 .
- [21] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., JELÍNKOVÁ, H., DOROSHENKO, M. E., BATTYGOV, S. H., OSIKO, V. V.: Temperature Influence on Diode-pumped Dy<sup>2+</sup>:CaF<sub>2</sub> Laser, in *2017 European Conference on Lasers and Electro-Optics and European Quantum Electronics Conference*, Optical Society of America, 2017 pp. CA-P-11.
- [22] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., JELÍNKOVÁ, H., NITSCH, K., CIHLÁŘ, A., KRÁL, R., NEJEZCHLEB, K., NIKL, M.: Effect of cryogenic temperature on

- spectroscopic and laser properties of Er, Yb-doped potassium-lanthanum phosphate glass, in *High-Power, High-Energy, and High-Intensity Laser Technology III*, vol. 10238, 2017 p. 7, doi:10.1117/12.2264673.
- [23] ŠVEJKAR, R., ŠULC, J., NĚMEC, M., JELÍNKOVÁ, H., DOROSHENKO, M., KONYUSHKIN, V., NAKLADOV, A., OSIKO, V.: Effect of cryogenic temperature on spectroscopic and laser properties of Er,La:SrF<sub>2</sub>-CaF<sub>2</sub> crystal, in *Proc. SPIE 9726, Solid State Lasers XXV: Technology and Devices*, Bellingham (stát Washington), US, ISBN 978-1-62841-961-0, ISSN 0277-786X, 2016 p. 7, doi:10.1117/12.2208569.
- [24] ŠULC, J., ŠVEJKAR, R., NĚMEC, M., JELÍNKOVÁ, H., DOROSHENKO, M., FEDOROV, P., OSIKO, V.: Temperature Influence on Diode Pumped Er:CaF<sub>2</sub> Laser, in *Proc. SPIE 9342, Solid State Lasers XXIV: Technology and Devices*, Proceedings of SPIE, Bellingham (stát Washington), US, ISBN 978-1-62841-432-5, ISSN 0277-786X, 2015 pp. 93421S–1–93421S–8, doi:10.1117/12.2077454.
- [25] ŠULC, J., ŠVEJKAR, R., NĚMEC, M., JELÍNKOVÁ, H., DOROSHENKO, M., KONYUSHKIN, V., NAKLADOV, A., OSIKO, V.: Er:SrF<sub>2</sub> Crystal for Diode-pumped 2.7  $\mu\text{m}$  Laser, in *Advanced Solid-State Lasers - Technical Digest*, Washington, US, ISBN 978-1-55752-822-3, 2014 pp. ATu2A.22–1–ATu2A.22–3, doi:10.1364/ASSL.2014.ATu2A.22.
- [26] ŠULC, J., ŠVEJKAR, R., NĚMEC, M., JELÍNKOVÁ, H., NITSCH, K., CIHLÁŘ, A., KRÁL, R., NEJEZCHLEB, K., RODOVÁ, M., NIKL, M.: Er-doped Ortho- and Methaphosphate Glassy Mixtures for 1.54  $\mu\text{m}$  Laser Construction, in *Proceedings of SPIE vol. 9135: Laser Sources and Applications II*, Proceedings of SPIE, Bellingham, US, ISBN 978-1-62841-083-9, ISSN 0277-786X, 2014 pp. 91351T–1–91351T–8, doi:10.1117/12.2051209.
- [27] ŠULC, J., ŠVEJKAR, R., JELÍNKOVÁ, H., RYBA-ROMANOWSKI, W., LUKASIEWICZ, T.: Diode Pumped Room-temperature Operating Eye-safe Er:YVO<sub>4</sub> and Er:GdVO<sub>4</sub> Lasers, in *22th International Laser Physics Workshop - Book of Abstracts*, Moskva, RU, 2013 .
- [28] NĚMEC, M., ŠULC, J., ŠVEJKAR, R., JELÍNKOVÁ, H., DOROSHENKO, M., KONYUSHKIN, V., OSIKO, V.: Spectroscopics and Laser Properties of Er<sup>3+</sup>-doped Fluoride Laser Ceramics, in *22th International Laser Physics Workshop - Book of Abstracts*, Moskva, RU, 2013 .